Serial No.: 10/743,344

Filed: December 23, 2003

Page : 3 of 11

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

<u>Listing of Claims</u>:

- 1. (Original) An electronic circuit characterized by comprising:
- a driving element including a plurality of transistors;

wherein the plurality of transistors is connected in series when inputting current and the plurality of transistors is connected in parallel when outputting current.

- 2. (Original) An electronic circuit characterized by comprising:
- a driving element including a plurality of transistors;

wherein the electronic circuit has means to switch between a series connection state and a parallel connection state of the plurality of transistors; and

amplifies an inputted current for output.

- 3. (Original) An electronic circuit which amplifies an inputted current when outputted, characterized by omprising:
 - a driving element including a plurality of transistors; and
 - a switch,

wherein each gate of the plurality of transistors is connected to each other;

at least one of a source or a drain of each of the plurality of transistors is connected to a source or a drain of another transistor of the plurality of transistors; and

the plurality of transistors can be connected either in series or parallel by switching over the switch.

- 4. (Currently Amended) An electronic circuit characterized in by comprising:
- n transistors; and
- a first and a second switch,

Serial No.: 10/743,344

Filed: December 23, 2003

Page : 4 of 11

wherein gates of the n transistors are connected electrically;

either of sources or drains of the n transistors are electrically connected to the first switch respectively;

another of sources or drains of the n transistors are electrically connected to the second switch respectively;

when a current is inputted to the electronic circuit, as for a k^{th} [[th]] transistor (k=2 to less than n) in the n transistors, a current flows through a (k-1)th [[th]] transistor to a (k+1)th [[th]] transistor via the k^{th} [[th]] transistor; and

when the current is outputted in the electronic circuit, as for the kth transistors, the current flows from the side connected to the second switch to the side connected to the first switch.

- 5. (Currently Amended) The electronic circuit according to any of claims claim 1 [[to 4]], characterized in that the plurality of transistors are either all p-channel type or n-channel type.
- 6. (Currently Amended) The electronic circuit according to any of claims claim 1 [[to 4]], characterized in that channel lengths, channel widths and insulating film thicknesses of the plurality of transistors are all equal.
- 7. (Currently Amended) The electronic circuit according to any of claims claim 1 [[to 4]], characterized in that the plurality of transistors are TFTs.
- 8. (Currently Amended) An integrated circuit characterized in by using the electronic circuit according to any of claims claim 1-to-7.
 - 9. (Currently Amended) A system circuit characterized by using: the electronic circuit according to any of claims claim 1-to 7,

Serial No.: 10/743,344

Filed: December 23, 2003

Page : 5 of 11

wherein the system circuit is formed over a glass substrate.

10. (Currently Amended) An electronic device characterized by using the electronic circuit according to any of claims claim 1-to 7.

- 11. (Original) The electronic device according to claim 10, characterized in that the electronic device is selected from the group consist of a monitor, a video camera, a digital camera, a goggle type display, a navigation system, an audio component system, a car audio, a personal computer, a game machine, a mobile computer, a portable phone, a portable game machine, an electronic book, and an image reproduction device provided with a recording medium.
- 12. (Original) A personal computer comprising a body, a housing, an external connecting port, and an electronic circuit having a driving element, characterized in that the driving element comprises a plurality of transistors, and that the plurality of transistors are in a series connection state when a current is inputted and in a parallel connection state when a current is outputted.
- 13. (Original) A personal computer comprising a body, a housing, an external connecting port, and an electronic circuit having a driving element, characterized in that the electronic circuit comprises a driving element provided with a plurality of transistors and a switch,

that the electronic circuit amplifies an inputted current for output,

that each gate of the plurality of transistors is connected to each other,

that at least one of a source and a drain of each of the plurality of transistors is connected to a source or a drain of other one of the plurality of transistors, and

that the plurality of transistors are in a series connection state or a parallel connection state by a switching over of the switch.

Serial No.: 10/743,344

Filed: December 23, 2003

Page : 6 of 11

14. (Currently Amended) The personal computer according to claim 12-or-13, characterized in that the personal computer comprises a display portion.

- 15. (Currently Amended) The personal computer according to claim 12-or 13, characterized in that the electronic circuit is included in a display portion.
- 16. (Currently Amended) The personal computer according to claim 12-or 13, characterized wherein the personal computer comprises a keyboard and a pointing mouse.
- 17. (New) The electronic circuit according to claim 2, characterized in that the plurality of transistors are either all p-channel type or n-channel type.
- 18. (New) The electronic circuit according to claim 3, characterized in that the plurality of transistors are either all p-channel type or n-channel type.
- 19. (New) The electronic circuit according to claim 4, characterized in that the plurality of transistors are either all p-channel type or n-channel type.
- 20. (New) The electronic circuit according to claim 2, characterized in that channel lengths, channel widths and insulating film thicknesses of the plurality of transistors are all equal.
- 21. (New) The electronic circuit according to claim 3, characterized in that channel lengths, channel widths and insulating film thicknesses of the plurality of transistors are all equal.

Serial No.: 10/743,344

Filed: December 23, 2003

Page : 7 of 11

22. (New) The electronic circuit according to claim 4, characterized in that channel lengths, channel widths and insulating film thicknesses of the plurality of transistors are all equal.

- 23. (New) The electronic circuit according to claim 2, characterized in that the plurality of transistors are TFTs.
- 24. (New) The electronic circuit according to claim 3, characterized in that the plurality of transistors are TFTs.
- 25. (New) The electronic circuit according to claim 4, characterized in that the plurality of transistors are TFTs.
- 26. (New) An integrated circuit characterized in by using the electronic circuit according to claim 2.
- 27. (New) An integrated circuit characterized in by using the electronic circuit according to claim 3.
- 28. (New) An integrated circuit characterized in by using the electronic circuit according to claim 4.
- 29. (New) An integrated circuit characterized in by using the electronic circuit according to claim 5.
- 30. (New) An integrated circuit characterized in by using the electronic circuit according to claim 6.

Serial No.: 10/743,344

Filed: December 23, 2003

Page : 8 of 11

31. (New) An integrated circuit characterized in by using the electronic circuit according to claim 7.

32. (New) A system circuit characterized by using: the electronic circuit according to claim 2, wherein the system circuit is formed over a glass substrate.

33. (New) A system circuit characterized by using: the electronic circuit according to claim 3, wherein the system circuit is formed over a glass substrate.

34. (New) A system circuit characterized by using: the electronic circuit according to claim 4, wherein the system circuit is formed over a glass substrate.

35. (New) A system circuit characterized by using: the electronic circuit according to claim 5, wherein the system circuit is formed over a glass substrate.

36. (New) A system circuit characterized by using: the electronic circuit according to claim 6, wherein the system circuit is formed over a glass substrate.

37. (New) A system circuit characterized by using: the electronic circuit according to claim 7, wherein the system circuit is formed over a glass substrate.

Serial No.: 10/743,344

Filed: December 23, 2003

Page : 9 of 11

38. (New) An electronic device characterized by using the electronic circuit according to claim 2.

39. (New) An electronic device characterized by using the electronic circuit according

to claim 3.

40. (New) An electronic device characterized by using the electronic circuit according

to claim 4.

41. (New) An electronic device characterized by using the electronic circuit according

to claim 5.

42. (New) An electronic device characterized by using the electronic circuit according

to claim 6.

43. (New) An electronic device characterized by using the electronic circuit according

to claim 7.

44. (New) The personal computer according to claim 13, characterized in that the

personal computer comprises a display portion.

45. (New) The personal computer according to claim 13, characterized in that the

electronic circuit is included in a display portion.

46. (New) The personal computer according to claim 13, characterized wherein the

personal computer comprises a keyboard and a pointing mouse.

Serial No.: 10/743,344

Filed: December 23, 2003

Page : 10 of 11

Amendments to the Drawings:

Please substitute the attached 5 sheets of drawings in English for the drawings submitted with the application. The attached replacement sheets of drawings includes changes to Figs. 1(A) through 5(H).

In Figs. 1 (A) – (E), please amend Figures to read FIG. 1(A), 1(B), 1(C), 1(D) and 1(E).

In Figs. 2 (A) - (D), please amend Figures to read FIG. 2(A), 2(B), 2(C) and 2(D).

In Figs. 4 (A) – (E), please amend Figures to read FIG. 4(A) and 4(B).

In Figs. 5 (A) - (H), please amend Figures to read FIG. 5(A), 5(B), 5(C), 5(D), 5(E), 5(F), 5(G) and 5(H).

Attachments following last page of this Amendment:

Replacement Sheets (5 pages)